

No.	Time	Source	Destination	Protocol	Info
1	0.000000	192.168.1.11	192.168.1.15	SIP/SDP	Request: INVITE sip:+41215501111@192.168.1.15, with session description

Frame 1 (782 bytes on wire, 782 bytes captured)  
Ethernet II, Src: Grandstr\_05:3e:3a (00:0b:82:05:3e:3a), Dst: ZyxelCom\_aa:9d:34 (00:13:49:aa:9d:34)

Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41215501111@192.168.1.15 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb34ffa7c1b3c97d3

From: <sip:+41215509999@192.168.1.15>;tag=108a32c6033179f8

To: <sip:+41215501111@192.168.1.15>

Contact: <sip:+41215509999@192.168.1.11>

Supported: replaces

Call-ID: be8f7438aa474408@192.168.1.11

CSeq: 61499 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Content-Length: 234

Message body

No.	Time	Source	Destination	Protocol	Info
2	0.029317	192.168.1.15	192.168.1.11	SIP	Status: 100 Trying

g

Frame 2 (470 bytes on wire, 470 bytes captured)  
Ethernet II, Src: ZyxelCom\_aa:9d:34 (00:13:49:aa:9d:34), Dst: Grandstr\_05:3e:3a (00:0b:82:05:3e:3a)  
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)  
User Datagram Protocol, Src Port: 32853 (32853), Dst Port: sip (5060)  
Session Initiation Protocol  
Status-Line: SIP/2.0 100 Trying  
Message Header  
Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb34ffa7c1b3c97d3  
From: <sip:+41215509999@192.168.1.15>;tag=108a32c6033179f8  
To: <sip:+41215501111@192.168.1.15>  
Contact: <sip:+41215509999@192.168.1.11>  
Supported: replaces  
Call-ID: be8f7438aa474408@192.168.1.11  
CSeq: 61499 INVITE  
User-Agent: Grandstream BT110 1.0.8.33  
Max-Forwards: 70  
Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

No.	Time	Source	Destination	Protocol	Info
3	0.029327	192.168.1.15	192.168.1.10	SIP/SDP	Request: INVITE sip:+41215501111@192.168.1.15, with session description

Frame 3 (844 bytes on wire, 844 bytes captured)  
Ethernet II, Src: ZyxelCom\_aa:9d:34 (00:13:49:aa:9d:34), Dst: Grandstr\_05:3e:38 (00:0b:82:05:3e:38)

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: 32853 (32853), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41215501111@192.168.1.15 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKb34ffa7c1b3c97d3

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb34ffa7c1b3c97d3

From: <sip:+41215509999@192.168.1.15>;tag=108a32c6033179f8

To: <sip:+41215501111@192.168.1.15>

Contact: <sip:+41215509999@192.168.1.11>

Supported: replaces

Call-ID: be8f7438aa474408@192.168.1.11

CSeq: 61499 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Content-Length: 234

Message body

No.	Time	Source	Destination	Protocol	Info
4	0.005573	192.168.1.10	192.168.1.15	SIP	Status: 100 Trying

Frame 4 (404 bytes on wire, 404 bytes captured)

Ethernet II, Src: Grandstr\_05:3e:38 (00:0b:82:05:3e:38), Dst: ZyxelCom\_aa:9d:34 (00:13:49:aa:9d:34)

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 Trying

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKb34ffa7c1b3c97d3

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb34ffa7c1b3c97d3

From: <sip:+41215509999@192.168.1.15>;tag=108a32c6033179f8

To: <sip:+41215501111@192.168.1.15>

Call-ID: be8f7438aa474408@192.168.1.11

CSeq: 61499 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
5	0.007821	192.168.1.10	192.168.1.15	SIP	Status: 180 Ringing

Frame 5 (426 bytes on wire, 426 bytes captured)  
Ethernet II, Src: Grandstr\_05:3e:38 (00:0b:82:05:3e:38), Dst: ZyxelCom\_aa:9d:34 (00:13:49:aa:9d:34)  
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)  
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)  
Session Initiation Protocol  
Status-Line: SIP/2.0 180 Ringing  
Message Header  
Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKb34ffa7c1b3c97d3  
Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb34ffa7c1b3c97d3  
From: <sip:+41215509999@192.168.1.15>;tag=108a32c6033179f8  
To: <sip:+41215501111@192.168.1.15>;tag=419b3429676c88be  
Call-ID: be8f7438aa474408@192.168.1.11  
CSeq: 61499 INVITE  
User-Agent: Grandstream BT110 1.0.8.33  
Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
6	0.028103	192.168.1.15	192.168.1.11	SIP	Status: 100 Trying

g

Frame 6 (342 bytes on wire, 342 bytes captured)  
Ethernet II, Src: ZyxelCom\_aa:9d:34 (00:13:49:aa:9d:34), Dst: Grandstr\_05:3e:3a (00:0b:82:05:3e:3a)  
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)  
User Datagram Protocol, Src Port: 32853 (32853), Dst Port: sip (5060)  
Session Initiation Protocol  
Status-Line: SIP/2.0 100 Trying  
Message Header  
Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb34ffa7c1b3c97d3  
From: <sip:+41215509999@192.168.1.15>;tag=108a32c6033179f8  
To: <sip:+41215501111@192.168.1.15>  
Call-ID: be8f7438aa474408@192.168.1.11  
CSeq: 61499 INVITE  
User-Agent: Grandstream BT110 1.0.8.33  
Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
7	0.029149	192.168.1.15	192.168.1.11	SIP	Status: 180 Ringing

Frame 7 (364 bytes on wire, 364 bytes captured)

Ethernet II, Src: ZyxelCom\_aa:9d:34 (00:13:49:aa:9d:34), Dst: Grandstr\_05:3e:3a (00:0b:82:05:3e:3a)

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)

User Datagram Protocol, Src Port: 32853 (32853), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 180 Ringing

Message Header

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb34ffa7c1b3c97d3

From: <sip:+41215509999@192.168.1.15>;tag=108a32c6033179f8

To: <sip:+41215501111@192.168.1.15>;tag=419b3429676c88be

Call-ID: be8f7438aa474408@192.168.1.11

CSeq: 61499 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
10	4.178875	192.168.1.10	192.168.1.15	SIP/SDP	Status: 200 OK, with session description

Frame 10 (746 bytes on wire, 746 bytes captured)  
Ethernet II, Src: Grandstr\_05:3e:38 (00:0b:82:05:3e:38), Dst: ZyxelCom\_aa:9d:34 (00:13:49:aa:9d:34)  
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)  
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)  
Session Initiation Protocol  
Status-Line: SIP/2.0 200 OK  
Message Header  
Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKb34ffa7c1b3c97d3  
Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb34ffa7c1b3c97d3  
From: <sip:+41215509999@192.168.1.15>;tag=108a32c6033179f8  
To: <sip:+41215501111@192.168.1.15>;tag=419b3429676c88be  
Call-ID: be8f7438aa474408@192.168.1.11  
CSeq: 61499 INVITE  
User-Agent: Grandstream BT110 1.0.8.33  
Contact: <sip:+41215501111@192.168.1.10>  
Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE  
Content-Type: application/sdp  
Supported: replaces  
Content-Length: 163  
Message body



No.	Time	Source	Destination	Protocol	Info
11	4.180256	192.168.1.15	192.168.1.11	SIP/SDP	Status: 200 OK, with session description

Frame 11 (684 bytes on wire, 684 bytes captured)

Ethernet II, Src: ZyxelCom\_aa:9d:34 (00:13:49:aa:9d:34), Dst: Grandstr\_05:3e:3a (00:0b:82:05:3e:3a)

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)

User Datagram Protocol, Src Port: 32853 (32853), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb34ffa7c1b3c97d3

From: <sip:+41215509999@192.168.1.15>;tag=108a32c6033179f8

To: <sip:+41215501111@192.168.1.15>;tag=419b3429676c88be

Call-ID: be8f7438aa474408@192.168.1.11

CSeq: 61499 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Contact: <sip:+41215501111@192.168.1.10>

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Supported: replaces

Content-Length: 163

Message body

No.	Time	Source	Destination	Protocol	Info
166	48.615189	192.168.1.10	192.168.1.15	SIP	Request: REGISTER sip:192.168.1.15

Frame 166 (518 bytes on wire, 518 bytes captured)

Ethernet II, Src: Grandstr\_05:3e:38 (00:0b:82:05:3e:38), Dst: ZyxelCom\_aa:9d:34 (00:13:49:aa:9d:34)

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: REGISTER sip:192.168.1.15 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK7bf5f486b5d56176

From: <sip:+41215501111@192.168.1.15>;tag=2994bd8209ca728e

To: <sip:+41215501111@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: bae21713d9203b60@192.168.1.10

CSeq: 103 REGISTER

Expires: 150

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
167	48.617018	192.168.1.15	192.168.1.10	SIP	Status: 200 OK (1 bindings)

Frame 167 (499 bytes on wire, 499 bytes captured)

Ethernet II, Src: ZyxelCom\_aa:9d:34 (00:13:49:aa:9d:34), Dst: Grandstr\_05:3e:38 (00:0b:82:05:3e:38)

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: 32853 (32853), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK7bf5f486b5d56176

From: <sip:+41215501111@192.168.1.15>;tag=2994bd8209ca728e

To: <sip:+41215501111@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: bae21713d9203b60@192.168.1.10

CSeq: 103 REGISTER

Expires: 150

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
184	58.962582	192.168.1.11	192.168.1.15	SIP	Request: REGISTER sip:192.168.1.15

Frame 184 (518 bytes on wire, 518 bytes captured)

Ethernet II, Src: Grandstr\_05:3e:3a (00:0b:82:05:3e:3a), Dst: ZyxelCom\_aa:9d:34 (00:13:49:aa:9d:34)

Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: REGISTER sip:192.168.1.15 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKee2f8bf7fcb522ba

From: <sip:+41215509999@192.168.1.15>;tag=fdca99a5e1f07891

To: <sip:+41215509999@192.168.1.15>

Contact: <sip:+41215509999@192.168.1.11>

Supported: replaces

Call-ID: 7e0e9d9345e664bb@192.168.1.11

CSeq: 103 REGISTER

Expires: 150

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
185	58.978857	192.168.1.15	192.168.1.11	SIP	Status: 200 OK (1 bindings)

Frame 185 (499 bytes on wire, 499 bytes captured)  
Ethernet II, Src: ZyxelCom\_aa:9d:34 (00:13:49:aa:9d:34), Dst: Grandstr\_05:3e:3a (00:0b:82:05:3e:3a)  
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)  
User Datagram Protocol, Src Port: 32853 (32853), Dst Port: sip (5060)  
Session Initiation Protocol  
Status-Line: SIP/2.0 200 OK  
Message Header  
Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKee2f8bf7fcb522ba  
From: <sip:+41215509999@192.168.1.15>;tag=fdca99a5e1f07891  
To: <sip:+41215509999@192.168.1.15>  
Contact: <sip:+41215509999@192.168.1.11>  
Supported: replaces  
Call-ID: 7e0e9d9345e664bb@192.168.1.11  
CSeq: 103 REGISTER  
Expires: 150  
User-Agent: Grandstream BT110 1.0.8.33  
Max-Forwards: 70  
Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE  
Content-Length: 0