

No.	Time	Source	Destination	Protocol	Info
2	3.251642	192.168.1.10	192.168.1.15	SIP/SDP	Request: INVITE sip:+41215509999@192.168.1.15, with session description

Frame 2 (782 bytes on wire, 782 bytes captured)

Ethernet II, Src: Grandstr\_05:3e:38 (00:0b:82:05:3e:38), Dst: ZyxelCom\_aa:9d:34 (00:13:49:aa:9d:34)

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41215509999@192.168.1.15 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK222da83b636a0d98

From: <sip:+41215501111@192.168.1.15>;tag=076f3910738ffffef

To: <sip:+41215509999@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: c7be2ce11f7b182e@192.168.1.10

CSeq: 37545 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Content-Length: 234

Message body

No.	Time	Source	Destination	Protocol	Info
3	3.252969	192.168.1.15	192.168.1.10	SIP	Status: 100 Trying

Frame 3 (470 bytes on wire, 470 bytes captured)  
Ethernet II, Src: ZyxelCom\_aa:9d:34 (00:13:49:aa:9d:34), Dst: Grandstr\_05:3e:38 (00:0b:82:05:3e:38)  
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)  
User Datagram Protocol, Src Port: 32853 (32853), Dst Port: sip (5060)  
Session Initiation Protocol  
Status-Line: SIP/2.0 100 Trying  
Message Header  
Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK222da83b636a0d98  
From: <sip:+41215501111@192.168.1.15>;tag=076f3910738ffffef  
To: <sip:+41215509999@192.168.1.15>  
Contact: <sip:+41215501111@192.168.1.10>  
Supported: replaces  
Call-ID: c7be2ce11f7b182e@192.168.1.10  
CSeq: 37545 INVITE  
User-Agent: Grandstream BT110 1.0.8.33  
Max-Forwards: 70  
Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

No.	Time	Source	Destination	Protocol	Info
4	3.253643	192.168.1.15	192.168.1.11	SIP/SDP	Request: INVITE s ip:+41215509999@192.168.1.15, with session description

Frame 4 (844 bytes on wire, 844 bytes captured)

Ethernet II, Src: ZyxelCom\_aa:9d:34 (00:13:49:aa:9d:34), Dst: Grandstr\_05:3e:3a (00:0b:82:05:3e:3a)

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)

User Datagram Protocol, Src Port: 32853 (32853), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41215509999@192.168.1.15 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK222da83b636a0d98

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK222da83b636a0d98

From: <sip:+41215501111@192.168.1.15>;tag=076f3910738ffffef

To: <sip:+41215509999@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: c7be2ce11f7b182e@192.168.1.10

CSeq: 37545 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Content-Length: 234

Message body

No.	Time	Source	Destination	Protocol	Info
5	3.259451	192.168.1.11	192.168.1.15	SIP	Status: 100 Trying

Frame 5 (404 bytes on wire, 404 bytes captured)

Ethernet II, Src: Grandstr\_05:3e:3a (00:0b:82:05:3e:3a), Dst: ZyxelCom\_aa:9d:34 (00:13:49:aa:9d:34)

Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 Trying

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK222da83b636a0d98

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK222da83b636a0d98

From: <sip:+41215501111@192.168.1.15>;tag=076f3910738ffffef

To: <sip:+41215509999@192.168.1.15>

Call-ID: c7be2ce11f7b182e@192.168.1.10

CSeq: 37545 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
6	3.261554	192.168.1.11	192.168.1.15	SIP	Status: 180 Ringing

Frame 6 (426 bytes on wire, 426 bytes captured)  
Ethernet II, Src: Grandstr\_05:3e:3a (00:0b:82:05:3e:3a), Dst: ZyxelCom\_aa:9d:34 (00:13:49:aa:9d:34)  
Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)  
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)  
Session Initiation Protocol  
Status-Line: SIP/2.0 180 Ringing  
Message Header  
Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK222da83b636a0d98  
Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK222da83b636a0d98  
From: <sip:+41215501111@192.168.1.15>;tag=076f3910738ffffef  
To: <sip:+41215509999@192.168.1.15>;tag=edf5f0689625871b  
Call-ID: c7be2ce11f7b182e@192.168.1.10  
CSeq: 37545 INVITE  
User-Agent: Grandstream BT110 1.0.8.33  
Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
7	3.264880	192.168.1.15	192.168.1.10	SIP	Status: 100 Trying

Frame 7 (342 bytes on wire, 342 bytes captured)

Ethernet II, Src: ZyxelCom\_aa:9d:34 (00:13:49:aa:9d:34), Dst: Grandstr\_05:3e:38 (00:0b:82:05:3e:38)

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: 32853 (32853), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 Trying

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK222da83b636a0d98

From: <sip:+41215501111@192.168.1.15>;tag=076f3910738ffffef

To: <sip:+41215509999@192.168.1.15>

Call-ID: c7be2ce11f7b182e@192.168.1.10

CSeq: 37545 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
8	3.265735	192.168.1.15	192.168.1.10	SIP	Status: 180 Ringing

Frame 8 (364 bytes on wire, 364 bytes captured)

Ethernet II, Src: ZyxelCom\_aa:9d:34 (00:13:49:aa:9d:34), Dst: Grandstr\_05:3e:38 (00:0b:82:05:3e:38)

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: 32853 (32853), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 180 Ringing

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK222da83b636a0d98

From: <sip:+41215501111@192.168.1.15>;tag=076f3910738ffffef

To: <sip:+41215509999@192.168.1.15>;tag=edf5f0689625871b

Call-ID: c7be2ce11f7b182e@192.168.1.10

CSeq: 37545 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
9	4.780577	192.168.1.11	192.168.1.15	SIP/SDP	Status: 200 OK, with session description

Frame 9 (746 bytes on wire, 746 bytes captured)  
Ethernet II, Src: Grandstr\_05:3e:3a (00:0b:82:05:3e:3a), Dst: ZyxelCom\_aa:9d:34 (00:13:49:aa:9d:34)  
Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)  
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)  
Session Initiation Protocol  
Status-Line: SIP/2.0 200 OK  
Message Header  
Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK222da83b636a0d98  
Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK222da83b636a0d98  
From: <sip:+41215501111@192.168.1.15>;tag=076f3910738ffffef  
To: <sip:+41215509999@192.168.1.15>;tag=edf5f0689625871b  
Call-ID: c7be2ce11f7b182e@192.168.1.10  
CSeq: 37545 INVITE  
User-Agent: Grandstream BT110 1.0.8.33  
Contact: <sip:+41215509999@192.168.1.11>  
Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE  
Content-Type: application/sdp  
Supported: replaces  
Content-Length: 163  
Message body



No.	Time	Source	Destination	Protocol	Info
10	4.781892	192.168.1.15	192.168.1.10	SIP/SDP	Status: 200 OK, with session description

Frame 10 (684 bytes on wire, 684 bytes captured)

Ethernet II, Src: ZyxelCom\_aa:9d:34 (00:13:49:aa:9d:34), Dst: Grandstr\_05:3e:38 (00:0b:82:05:3e:38)

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: 32853 (32853), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK222da83b636a0d98

From: <sip:+41215501111@192.168.1.15>;tag=076f3910738ffffef

To: <sip:+41215509999@192.168.1.15>;tag=edf5f0689625871b

Call-ID: c7be2ce11f7b182e@192.168.1.10

CSeq: 37545 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Contact: <sip:+41215509999@192.168.1.11>

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Supported: replaces

Content-Length: 163

Message body