

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|--------------|--------------|----------|---------------------------------------|
| 61 | 33.908777 | 192.168.1.10 | 192.168.1.15 | SIP | Request: REGISTER sip:192.168.1.15 |

Frame 61 (518 bytes on wire, 518 bytes captured)
Ethernet II, Src: Grandstr_05:3e:38 (00:0b:82:05:3e:38), Dst: ZyxelCom_aa:9d:34 (00:13:49:aa:9d:34)

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: REGISTER sip:192.168.1.15 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKfc6f3416f24078ab

From: <sip:+41215501111@192.168.1.15>;tag=2994bd8209ca728e

To: <sip:+41215501111@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: bae21713d9203b60@192.168.1.10

CSeq: 100 REGISTER

Expires: 150

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|--------------|--------------|----------|--------------------------------|
| 62 | 33.910372 | 192.168.1.15 | 192.168.1.10 | SIP | Status: 200 OK (1 bindings) |

Frame 62 (499 bytes on wire, 499 bytes captured)
Ethernet II, Src: ZyxelCom_aa:9d:34 (00:13:49:aa:9d:34), Dst: Grandstr_05:3e:38 (00:0b:82:05:3e:38)
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: 32853 (32853), Dst Port: sip (5060)
Session Initiation Protocol
Status-Line: SIP/2.0 200 OK
Message Header
Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKfc6f3416f24078ab
From: <sip:+41215501111@192.168.1.15>;tag=2994bd8209ca728e
To: <sip:+41215501111@192.168.1.15>
Contact: <sip:+41215501111@192.168.1.10>
Supported: replaces
Call-ID: bae21713d9203b60@192.168.1.10
CSeq: 100 REGISTER
Expires: 150
User-Agent: Grandstream BT110 1.0.8.33
Max-Forwards: 70
Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|--------------|--------------|----------|---------------------------------------|
| 95 | 44.231022 | 192.168.1.11 | 192.168.1.15 | SIP | Request: REGISTER sip:192.168.1.15 |

Frame 95 (518 bytes on wire, 518 bytes captured)
Ethernet II, Src: Grandstr_05:3e:3a (00:0b:82:05:3e:3a), Dst: ZyxelCom_aa:9d:34 (00:13:49:aa:9d:34)

Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: REGISTER sip:192.168.1.15 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK28e1273e70ddde02

From: <sip:+41215509999@192.168.1.15>;tag=fdca99a5e1f07891

To: <sip:+41215509999@192.168.1.15>

Contact: <sip:+41215509999@192.168.1.11>

Supported: replaces

Call-ID: 7e0e9d9345e664bb@192.168.1.11

CSeq: 100 REGISTER

Expires: 150

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|--------------|--------------|----------|--------------------------------|
| 96 | 44.232436 | 192.168.1.15 | 192.168.1.11 | SIP | Status: 200 OK (1 bindings) |

Frame 96 (499 bytes on wire, 499 bytes captured)

Ethernet II, Src: ZyxelCom_aa:9d:34 (00:13:49:aa:9d:34), Dst: Grandstr_05:3e:3a (00:0b:82:05:3e:3a)

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)

User Datagram Protocol, Src Port: 32853 (32853), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK28e1273e70ddde02

From: <sip:+41215509999@192.168.1.15>;tag=fdca99a5e1f07891

To: <sip:+41215509999@192.168.1.15>

Contact: <sip:+41215509999@192.168.1.11>

Supported: replaces

Call-ID: 7e0e9d9345e664bb@192.168.1.11

CSeq: 100 REGISTER

Expires: 150

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0