```
No.     Time        Source                Destination           Protocol Info
    665 17.130024   192.168.1.10          192.168.1.15          SIP/SDP  Request: INVITE s
ip:+41215509999@192.168.1.15, with session description

Frame 665 (784 bytes on wire, 784 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41215509999@192.168.1.15 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1073544afa2a6ecd
    From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28
    To: <sip:+41215509999@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Supported: replaces
    Call-ID: 3f6b72ef41379493@192.168.1.10
    CSeq: 43883 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/sdp
    Content-Length: 234
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
    666 17.131885   192.168.1.15          192.168.1.10          SIP      Status: 100 Givin
g a try

Frame 666 (328 bytes on wire, 328 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 Giving a try
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1073544afa2a6ecd
    From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28
    To: <sip:+41215509999@192.168.1.15>
    Call-ID: 3f6b72ef41379493@192.168.1.10
    CSeq: 43883 INVITE
    Server: PrimiSIP
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    667 17.132625   192.168.1.15          192.168.1.11          SIP/SDP  Request: INVITE s
ip:+41215509999@192.168.1.11, with session description

Frame 667 (908 bytes on wire, 908 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41215509999@192.168.1.11 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK1073544afa2a6ecd
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1073544afa2a6ecd
    Record-Route: <sip:192.168.1.15;lr=on;ftag=b03fbb977e692e28>
    From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28
    To: <sip:+41215509999@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Supported: replaces
    Call-ID: 3f6b72ef41379493@192.168.1.10
    CSeq: 43883 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/sdp
    Content-Length: 234
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
    668 17.138545   192.168.1.11          192.168.1.15          SIP      Status: 100 Tryin
g

Frame 668 (406 bytes on wire, 406 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 Trying
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK1073544afa2a6ecd
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1073544afa2a6ecd
    From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28
    To: <sip:+41215509999@192.168.1.15>
    Call-ID: 3f6b72ef41379493@192.168.1.10
    CSeq: 43883 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    669 17.139869   192.168.1.15          192.168.1.10          SIP      Status: 100 Tryin
g

Frame 669 (344 bytes on wire, 344 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 Trying
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1073544afa2a6ecd
    From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28
    To: <sip:+41215509999@192.168.1.15>
    Call-ID: 3f6b72ef41379493@192.168.1.10
    CSeq: 43883 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    670 17.141060   192.168.1.11          192.168.1.15          SIP      Status: 180 Ringi
ng

Frame 670 (490 bytes on wire, 490 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 180 Ringing
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK1073544afa2a6ecd
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1073544afa2a6ecd
    Record-Route: <sip:192.168.1.15;lr=on;ftag=b03fbb977e692e28>
    From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28
    To: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d
    Call-ID: 3f6b72ef41379493@192.168.1.10
    CSeq: 43883 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    671 17.142339   192.168.1.15          192.168.1.10          SIP      Status: 180 Ringi
ng

Frame 671 (428 bytes on wire, 428 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 180 Ringing
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1073544afa2a6ecd
    Record-Route: <sip:192.168.1.15;lr=on;ftag=b03fbb977e692e28>
    From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28
    To: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d
    Call-ID: 3f6b72ef41379493@192.168.1.10
    CSeq: 43883 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    758 19.645181   192.168.1.11          192.168.1.15          SIP/SDP  Status: 200 OK, w
ith session description

Frame 758 (810 bytes on wire, 810 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK1073544afa2a6ecd
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1073544afa2a6ecd
    Record-Route: <sip:192.168.1.15;lr=on;ftag=b03fbb977e692e28>
    From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28
    To: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d
    Call-ID: 3f6b72ef41379493@192.168.1.10
    CSeq: 43883 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215509999@192.168.1.11>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/sdp
    Supported: replaces
    Content-Length: 163
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
    759 19.646915   192.168.1.15          192.168.1.10          SIP/SDP  Status: 200 OK, w
ith session description

Frame 759 (748 bytes on wire, 748 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1073544afa2a6ecd
    Record-Route: <sip:192.168.1.15;lr=on;ftag=b03fbb977e692e28>
    From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28
    To: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d
    Call-ID: 3f6b72ef41379493@192.168.1.10
    CSeq: 43883 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215509999@192.168.1.11>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/sdp
    Supported: replaces
    Content-Length: 163
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
    760 19.653986   192.168.1.10          192.168.1.15          SIP      Request: ACK sip:
+41215509999@192.168.1.11

Frame 760 (566 bytes on wire, 566 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: ACK sip:+41215509999@192.168.1.11 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK808da23a9d1db5f9
    Route: <sip:192.168.1.15;lr=on;ftag=b03fbb977e692e28>
    From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28
    To: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d
    Contact: <sip:+41215501111@192.168.1.10>
    Call-ID: 3f6b72ef41379493@192.168.1.10
    CSeq: 43883 ACK
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    762 19.655417   192.168.1.15          192.168.1.11          SIP      Request: ACK sip:
+41215509999@192.168.1.11

Frame 762 (573 bytes on wire, 573 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: ACK sip:+41215509999@192.168.1.11 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK808da23a9d1db5f9
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK808da23a9d1db5f9
    From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28
    To: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d
    Contact: <sip:+41215501111@192.168.1.10>
    Call-ID: 3f6b72ef41379493@192.168.1.10
    CSeq: 43883 ACK
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    944 23.737649   192.168.1.10          192.168.1.15          SIP      Request: REGISTER
 sip:192.168.1.15

Frame 944 (520 bytes on wire, 520 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: REGISTER sip:192.168.1.15 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK87461228c4133a6f
    From: <sip:+41215501111@192.168.1.15>;tag=a5870404e4bd88ff
    To: <sip:+41215501111@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Supported: replaces
    Call-ID: 25e54494742378e1@192.168.1.10
    CSeq: 101 REGISTER
    Expires: 150
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    945 23.739312   192.168.1.15          192.168.1.10          SIP      Status: 200 OK
 (1 bindings)

Frame 945 (360 bytes on wire, 360 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK87461228c4133a6f
    From: <sip:+41215501111@192.168.1.15>;tag=a5870404e4bd88ff
    To: <sip:+41215501111@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Call-ID: 25e54494742378e1@192.168.1.10
    CSeq: 101 REGISTER
    Server: PrimiSIP
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1285 31.443923   192.168.1.10          192.168.1.15          SIP      Request: INFO sip
:+41215509999@192.168.1.11

Frame 1285 (651 bytes on wire, 651 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INFO sip:+41215509999@192.168.1.11 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK293ac32018a876ea
    Route: <sip:192.168.1.15;lr=on;ftag=b03fbb977e692e28>
    From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28
    To: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d
    Contact: <sip:+41215501111@192.168.1.10>
    Supported: replaces
    Call-ID: 3f6b72ef41379493@192.168.1.10
    CSeq: 43884 INFO
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/dtmf-relay
    Content-Length: 23
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
   1286 31.488602   192.168.1.15          192.168.1.11          SIP      Request: INFO sip
:+41215509999@192.168.1.11

Frame 1286 (658 bytes on wire, 658 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INFO sip:+41215509999@192.168.1.11 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK293ac32018a876ea
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK293ac32018a876ea
    From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28
    To: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d
    Contact: <sip:+41215501111@192.168.1.10>
    Supported: replaces
    Call-ID: 3f6b72ef41379493@192.168.1.10
    CSeq: 43884 INFO
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/dtmf-relay
    Content-Length: 23
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
   1287 31.494211   192.168.1.11          192.168.1.15          SIP      Status: 200 OK

Frame 1287 (550 bytes on wire, 550 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK293ac32018a876ea
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK293ac32018a876ea
    From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28
    To: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d
    Call-ID: 3f6b72ef41379493@192.168.1.10
    CSeq: 43884 INFO
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215509999@192.168.1.11>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Supported: replaces
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1288 31.495820   192.168.1.15          192.168.1.10          SIP      Status: 200 OK

Frame 1288 (488 bytes on wire, 488 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK293ac32018a876ea
    From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28
    To: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d
    Call-ID: 3f6b72ef41379493@192.168.1.10
    CSeq: 43884 INFO
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215509999@192.168.1.11>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Supported: replaces
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1386 33.739725   192.168.1.11          192.168.1.15          SIP      Request: INFO sip
:+41215501111@192.168.1.10

Frame 1386 (650 bytes on wire, 650 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INFO sip:+41215501111@192.168.1.10 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK488e836b6967ea90
    Route: <sip:192.168.1.15;lr=on;ftag=b03fbb977e692e28>
    From: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d
    To: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28
    Contact: <sip:+41215509999@192.168.1.11>
    Supported: replaces
    Call-ID: 3f6b72ef41379493@192.168.1.10
    CSeq: 52930 INFO
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/dtmf-relay
    Content-Length: 22
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
   1387 33.741201   192.168.1.15          192.168.1.10          SIP      Request: INFO sip
:+41215501111@192.168.1.10

Frame 1387 (657 bytes on wire, 657 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INFO sip:+41215501111@192.168.1.10 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK488e836b6967ea90
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK488e836b6967ea90
    From: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d
    To: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28
    Contact: <sip:+41215509999@192.168.1.11>
    Supported: replaces
    Call-ID: 3f6b72ef41379493@192.168.1.10
    CSeq: 52930 INFO
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/dtmf-relay
    Content-Length: 22
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
   1388 33.746804   192.168.1.10          192.168.1.15          SIP      Status: 200 OK

Frame 1388 (550 bytes on wire, 550 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK488e836b6967ea90
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK488e836b6967ea90
    From: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d
    To: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28
    Call-ID: 3f6b72ef41379493@192.168.1.10
    CSeq: 52930 INFO
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215501111@192.168.1.10>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Supported: replaces
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1389 33.748182   192.168.1.15          192.168.1.11          SIP      Status: 200 OK

Frame 1389 (488 bytes on wire, 488 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK488e836b6967ea90
    From: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d
    To: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28
    Call-ID: 3f6b72ef41379493@192.168.1.10
    CSeq: 52930 INFO
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215501111@192.168.1.10>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Supported: replaces
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1553 36.453261   192.168.1.11          192.168.1.15          SIP      Request: BYE sip:
+41215501111@192.168.1.10

Frame 1553 (545 bytes on wire, 545 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: BYE sip:+41215501111@192.168.1.10 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK22dee2672595d5a7
    Route: <sip:192.168.1.15;lr=on;ftag=b03fbb977e692e28>
    From: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d
    To: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28
    Supported: replaces
    Call-ID: 3f6b72ef41379493@192.168.1.10
    CSeq: 52931 BYE
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1554 36.462927   192.168.1.15          192.168.1.10          SIP      Request: BYE sip:
+41215501111@192.168.1.10

Frame 1554 (552 bytes on wire, 552 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: BYE sip:+41215501111@192.168.1.10 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK22dee2672595d5a7
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK22dee2672595d5a7
    From: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d
    To: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28
    Supported: replaces
    Call-ID: 3f6b72ef41379493@192.168.1.10
    CSeq: 52931 BYE
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1555 36.467720   192.168.1.10          192.168.1.15          SIP      Status: 200 OK

Frame 1555 (549 bytes on wire, 549 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK22dee2672595d5a7
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK22dee2672595d5a7
    From: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d
    To: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28
    Call-ID: 3f6b72ef41379493@192.168.1.10
    CSeq: 52931 BYE
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215501111@192.168.1.10>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Supported: replaces
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1556 36.479323   192.168.1.15          192.168.1.11          SIP      Status: 200 OK

Frame 1556 (487 bytes on wire, 487 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK22dee2672595d5a7
    From: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d
    To: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28
    Call-ID: 3f6b72ef41379493@192.168.1.10
    CSeq: 52931 BYE
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215501111@192.168.1.10>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Supported: replaces
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   5759 125.318617  192.168.1.11          192.168.1.15          SIP      Request: REGISTER
 sip:192.168.1.15

Frame 5759 (520 bytes on wire, 520 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: REGISTER sip:192.168.1.15 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK5c3931e9b42509bd
    From: <sip:+41215509999@192.168.1.15>;tag=86c5d5238aebc41f
    To: <sip:+41215509999@192.168.1.15>
    Contact: <sip:+41215509999@192.168.1.11>
    Supported: replaces
    Call-ID: e1b8e76c8159f80d@192.168.1.11
    CSeq: 101 REGISTER
    Expires: 150
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   5760 125.320091  192.168.1.15          192.168.1.11          SIP      Status: 200 OK
 (1 bindings)

Frame 5760 (360 bytes on wire, 360 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK5c3931e9b42509bd
    From: <sip:+41215509999@192.168.1.15>;tag=86c5d5238aebc41f
    To: <sip:+41215509999@192.168.1.15>
    Contact: <sip:+41215509999@192.168.1.11>
    Call-ID: e1b8e76c8159f80d@192.168.1.11
    CSeq: 101 REGISTER
    Server: PrimiSIP
    Content-Length: 0
```