```
No.     Time        Source                Destination           Protocol Info
    876 14.953470   192.168.1.11          192.168.1.15          SIP/SDP  Request: INVITE s
ip:+41215501111@192.168.1.15, with session description

Frame 876 (784 bytes on wire, 784 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41215501111@192.168.1.15 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f
    From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068
    To: <sip:+41215501111@192.168.1.15>
    Contact: <sip:+41215509999@192.168.1.11>
    Supported: replaces
    Call-ID: d0f0a4e0cfa0590b@192.168.1.11
    CSeq: 50933 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/sdp
    Content-Length: 234
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
    877 14.955252   192.168.1.15          192.168.1.11          SIP      Status: 100 Givin
g a try

Frame 877 (328 bytes on wire, 328 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 Giving a try
  Message Header
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f
    From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068
    To: <sip:+41215501111@192.168.1.15>
    Call-ID: d0f0a4e0cfa0590b@192.168.1.11
    CSeq: 50933 INVITE
    Server: PrimiSIP
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    878 14.955993   192.168.1.15          192.168.1.10          SIP/SDP  Request: INVITE s
ip:+41215501111@192.168.1.10, with session description

Frame 878 (908 bytes on wire, 908 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41215501111@192.168.1.10 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK6008414cefae770f
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f
    Record-Route: <sip:192.168.1.15;lr=on;ftag=82109cffc4d06068>
    From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068
    To: <sip:+41215501111@192.168.1.15>
    Contact: <sip:+41215509999@192.168.1.11>
    Supported: replaces
    Call-ID: d0f0a4e0cfa0590b@192.168.1.11
    CSeq: 50933 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/sdp
    Content-Length: 234
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
    879 14.962049   192.168.1.10          192.168.1.15          SIP      Status: 100 Tryin
g

Frame 879 (406 bytes on wire, 406 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 Trying
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK6008414cefae770f
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f
    From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068
    To: <sip:+41215501111@192.168.1.15>
    Call-ID: d0f0a4e0cfa0590b@192.168.1.11
    CSeq: 50933 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    880 14.963367   192.168.1.15          192.168.1.11          SIP      Status: 100 Tryin
g

Frame 880 (344 bytes on wire, 344 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 Trying
  Message Header
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f
    From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068
    To: <sip:+41215501111@192.168.1.15>
    Call-ID: d0f0a4e0cfa0590b@192.168.1.11
    CSeq: 50933 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    881 14.964563   192.168.1.10          192.168.1.15          SIP      Status: 180 Ringi
ng

Frame 881 (490 bytes on wire, 490 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 180 Ringing
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK6008414cefae770f
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f
    Record-Route: <sip:192.168.1.15;lr=on;ftag=82109cffc4d06068>
    From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068
    To: <sip:+41215501111@192.168.1.15>;tag=b46457f322c1e961
    Call-ID: d0f0a4e0cfa0590b@192.168.1.11
    CSeq: 50933 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    882 14.965790   192.168.1.15          192.168.1.11          SIP      Status: 180 Ringi
ng

Frame 882 (428 bytes on wire, 428 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 180 Ringing
  Message Header
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f
    Record-Route: <sip:192.168.1.15;lr=on;ftag=82109cffc4d06068>
    From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068
    To: <sip:+41215501111@192.168.1.15>;tag=b46457f322c1e961
    Call-ID: d0f0a4e0cfa0590b@192.168.1.11
    CSeq: 50933 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1072 19.370882   192.168.1.11          192.168.1.15          SIP      Request: CANCEL s
ip:+41215501111@192.168.1.15

Frame 1072 (475 bytes on wire, 475 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: CANCEL sip:+41215501111@192.168.1.15 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f
    From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068
    To: <sip:+41215501111@192.168.1.15>
    Supported: replaces
    Call-ID: d0f0a4e0cfa0590b@192.168.1.11
    CSeq: 50933 CANCEL
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1073 19.372310   192.168.1.15          192.168.1.11          SIP      Status: 200 Cance
lling

Frame 1073 (326 bytes on wire, 326 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 Cancelling
  Message Header
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f
    From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068
    To: <sip:+41215501111@192.168.1.15>
    Call-ID: d0f0a4e0cfa0590b@192.168.1.11
    CSeq: 50933 CANCEL
    Server: PrimiSIP
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1074 19.373027   192.168.1.15          192.168.1.10          SIP      Request: CANCEL s
ip:+41215501111@192.168.1.10

Frame 1074 (537 bytes on wire, 537 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: CANCEL sip:+41215501111@192.168.1.10 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK6008414cefae770f
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f
    From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068
    To: <sip:+41215501111@192.168.1.15>
    Supported: replaces
    Call-ID: d0f0a4e0cfa0590b@192.168.1.11
    CSeq: 50933 CANCEL
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1075 19.377558   192.168.1.10          192.168.1.15          SIP      Status: 200 OK

Frame 1075 (552 bytes on wire, 552 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK6008414cefae770f
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f
    From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068
    To: <sip:+41215501111@192.168.1.15>;tag=b46457f322c1e961
    Call-ID: d0f0a4e0cfa0590b@192.168.1.11
    CSeq: 50933 CANCEL
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215501111@192.168.1.10>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Supported: replaces
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1076 19.378946   192.168.1.15          192.168.1.11          SIP      Status: 200 OK

Frame 1076 (490 bytes on wire, 490 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f
    From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068
    To: <sip:+41215501111@192.168.1.15>;tag=b46457f322c1e961
    Call-ID: d0f0a4e0cfa0590b@192.168.1.11
    CSeq: 50933 CANCEL
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215501111@192.168.1.10>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Supported: replaces
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1077 19.379527   192.168.1.10          192.168.1.15          SIP      Status: 487 Reque
st Cancelled

Frame 1077 (500 bytes on wire, 500 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 487 Request Cancelled
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK6008414cefae770f
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f
    Record-Route: <sip:192.168.1.15;lr=on;ftag=82109cffc4d06068>
    From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068
    To: <sip:+41215501111@192.168.1.15>;tag=b46457f322c1e961
    Call-ID: d0f0a4e0cfa0590b@192.168.1.11
    CSeq: 50933 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1078 19.380781   192.168.1.15          192.168.1.11          SIP      Status: 487 Reque
st Cancelled

Frame 1078 (438 bytes on wire, 438 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 487 Request Cancelled
  Message Header
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f
    Record-Route: <sip:192.168.1.15;lr=on;ftag=82109cffc4d06068>
    From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068
    To: <sip:+41215501111@192.168.1.15>;tag=b46457f322c1e961
    Call-ID: d0f0a4e0cfa0590b@192.168.1.11
    CSeq: 50933 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1079 19.385393   192.168.1.11          192.168.1.15          SIP      Request: ACK sip:
+41215501111@192.168.1.15

Frame 1079 (511 bytes on wire, 511 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: ACK sip:+41215501111@192.168.1.15 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f
    From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068
    To: <sip:+41215501111@192.168.1.15>;tag=b46457f322c1e961
    Contact: <sip:+41215509999@192.168.1.11>
    Call-ID: d0f0a4e0cfa0590b@192.168.1.11
    CSeq: 50933 ACK
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1080 19.386658   192.168.1.15          192.168.1.10          SIP      Request: ACK sip:
+41215501111@192.168.1.10

Frame 1080 (573 bytes on wire, 573 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: ACK sip:+41215501111@192.168.1.10 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK6008414cefae770f
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f
    From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068
    To: <sip:+41215501111@192.168.1.15>;tag=b46457f322c1e961
    Contact: <sip:+41215509999@192.168.1.11>
    Call-ID: d0f0a4e0cfa0590b@192.168.1.11
    CSeq: 50933 ACK
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   3200 62.280785   192.168.1.10          192.168.1.15          SIP      Request: REGISTER
 sip:192.168.1.15

Frame 3200 (520 bytes on wire, 520 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: REGISTER sip:192.168.1.15 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK310ac5b29ae6d20f
    From: <sip:+41215501111@192.168.1.15>;tag=1794bc82e6ca718e
    To: <sip:+41215501111@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Supported: replaces
    Call-ID: afd6f9eee28982de@192.168.1.10
    CSeq: 146 REGISTER
    Expires: 150
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   3201 62.282542   192.168.1.15          192.168.1.10          SIP      Status: 200 OK
 (1 bindings)

Frame 3201 (360 bytes on wire, 360 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK310ac5b29ae6d20f
    From: <sip:+41215501111@192.168.1.15>;tag=1794bc82e6ca718e
    To: <sip:+41215501111@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Call-ID: afd6f9eee28982de@192.168.1.10
    CSeq: 146 REGISTER
    Server: PrimiSIP
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   6192 125.726006  192.168.1.11          192.168.1.15          SIP      Request: REGISTER
 sip:192.168.1.15

Frame 6192 (520 bytes on wire, 520 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: REGISTER sip:192.168.1.15 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK01001af703074d78
    From: <sip:+41215509999@192.168.1.15>;tag=ebca88a5ffe07791
    To: <sip:+41215509999@192.168.1.15>
    Contact: <sip:+41215509999@192.168.1.11>
    Supported: replaces
    Call-ID: e08ea19f2788617f@192.168.1.11
    CSeq: 102 REGISTER
    Expires: 150
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   6193 125.727456  192.168.1.15          192.168.1.11          SIP      Status: 200 OK
 (1 bindings)

Frame 6193 (360 bytes on wire, 360 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK01001af703074d78
    From: <sip:+41215509999@192.168.1.15>;tag=ebca88a5ffe07791
    To: <sip:+41215509999@192.168.1.15>
    Contact: <sip:+41215509999@192.168.1.11>
    Call-ID: e08ea19f2788617f@192.168.1.11
    CSeq: 102 REGISTER
    Server: PrimiSIP
    Content-Length: 0
```