```
No.     Time        Source                Destination           Protocol Info
   2524 40.458767   192.168.1.10          192.168.1.15          SIP/SDP  Request: INVITE s
ip:+41215509999@192.168.1.15, with session description

Frame 2524 (784 bytes on wire, 784 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41215509999@192.168.1.15 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKef1e08575494110a
    From: <sip:+41215501111@192.168.1.15>;tag=8cb5d4da05568523
    To: <sip:+41215509999@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Supported: replaces
    Call-ID: 9446d49b88d522a5@192.168.1.10
    CSeq: 28915 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/sdp
    Content-Length: 234
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
   2525 40.462561   192.168.1.15          192.168.1.10          SIP      Status: 100 Givin
g a try

Frame 2525 (328 bytes on wire, 328 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 Giving a try
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKef1e08575494110a
    From: <sip:+41215501111@192.168.1.15>;tag=8cb5d4da05568523
    To: <sip:+41215509999@192.168.1.15>
    Call-ID: 9446d49b88d522a5@192.168.1.10
    CSeq: 28915 INVITE
    Server: PrimiSIP
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   2526 40.463365   192.168.1.15          128.179.67.76         SIP/SDP  Request: INVITE s
ip:+41215509999@128.179.67.76, with session description

Frame 2526 (909 bytes on wire, 909 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41215509999@128.179.67.76 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKef1e08575494110a
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKef1e08575494110a
    Record-Route: <sip:192.168.1.15;lr=on;ftag=8cb5d4da05568523>
    From: <sip:+41215501111@192.168.1.15>;tag=8cb5d4da05568523
    To: <sip:+41215509999@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Supported: replaces
    Call-ID: 9446d49b88d522a5@192.168.1.10
    CSeq: 28915 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/sdp
    Content-Length: 234
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
   2527 40.465352   128.179.67.76         192.168.1.15          SIP      Status: 100 Givin
g a try

Frame 2527 (416 bytes on wire, 416 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 Giving a try
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKef1e08575494110a
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKef1e08575494110a
    From: <sip:+41215501111@192.168.1.15>;tag=8cb5d4da05568523
    To: <sip:+41215509999@192.168.1.15>
    Call-ID: 9446d49b88d522a5@192.168.1.10
    CSeq: 28915 INVITE
    Server: OpenSER (1.2.0-notls (i386/linux))
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   2528 40.466795   192.168.1.15          192.168.1.10          SIP      Status: 100 Givin
g a try

Frame 2528 (354 bytes on wire, 354 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 Giving a try
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKef1e08575494110a
    From: <sip:+41215501111@192.168.1.15>;tag=8cb5d4da05568523
    To: <sip:+41215509999@192.168.1.15>
    Call-ID: 9446d49b88d522a5@192.168.1.10
    CSeq: 28915 INVITE
    Server: OpenSER (1.2.0-notls (i386/linux))
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   2529 40.467229   128.179.67.76         192.168.1.16          SIP/SDP  Request: INVITE s
ip:+41215509999@192.168.1.16, with session description

Frame 2529 (1033 bytes on wire, 1033 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41215509999@192.168.1.16 SIP/2.0
  Message Header
    Record-Route: <sip:128.179.67.76;lr=on;ftag=8cb5d4da05568523>
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK8ced.6f4f9bf2.0
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKef1e08575494110a
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKef1e08575494110a
    Record-Route: <sip:192.168.1.15;lr=on;ftag=8cb5d4da05568523>
    From: <sip:+41215501111@192.168.1.15>;tag=8cb5d4da05568523
    To: <sip:+41215509999@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Supported: replaces
    Call-ID: 9446d49b88d522a5@192.168.1.10
    CSeq: 28915 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 69
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/sdp
    Content-Length: 234
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
   2532 40.468639   192.168.1.16          128.179.67.76         SIP      Status: 500 Serve
r error occurred (1/SL)

Frame 2532 (536 bytes on wire, 536 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 500 Server error occurred (1/SL)
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK8ced.6f4f9bf2.0
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKef1e08575494110a
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKef1e08575494110a
    From: <sip:+41215501111@192.168.1.15>;tag=8cb5d4da05568523
    To: <sip:+41215509999@192.168.1.15>;tag=d76032c592c271508dd10e2795cafde5.f286
    Call-ID: 9446d49b88d522a5@192.168.1.10
    CSeq: 28915 INVITE
    Server: OpenSER (1.2.0-notls (i386/linux))
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   2533 40.468842   128.179.67.76         192.168.1.16          SIP      Request: ACK sip:
+41215509999@192.168.1.16

Frame 2533 (414 bytes on wire, 414 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: ACK sip:+41215509999@192.168.1.16 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK8ced.6f4f9bf2.0
    From: <sip:+41215501111@192.168.1.15>;tag=8cb5d4da05568523
    Call-ID: 9446d49b88d522a5@192.168.1.10
    To: <sip:+41215509999@192.168.1.15>;tag=d76032c592c271508dd10e2795cafde5.f286
    CSeq: 28915 ACK
    User-Agent: OpenSER (1.2.0-notls (i386/linux))
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   2534 40.469147   128.179.67.76         192.168.1.15          SIP      Status: 500 Serve
r error occurred (1/SL)

Frame 2534 (474 bytes on wire, 474 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 500 Server error occurred (1/SL)
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKef1e08575494110a
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKef1e08575494110a
    From: <sip:+41215501111@192.168.1.15>;tag=8cb5d4da05568523
    To: <sip:+41215509999@192.168.1.15>;tag=d76032c592c271508dd10e2795cafde5.f286
    Call-ID: 9446d49b88d522a5@192.168.1.10
    CSeq: 28915 INVITE
    Server: OpenSER (1.2.0-notls (i386/linux))
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   2535 40.470502   192.168.1.15          192.168.1.10          SIP      Status: 500 Serve
r error occurred (1/SL)

Frame 2535 (412 bytes on wire, 412 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 500 Server error occurred (1/SL)
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKef1e08575494110a
    From: <sip:+41215501111@192.168.1.15>;tag=8cb5d4da05568523
    To: <sip:+41215509999@192.168.1.15>;tag=d76032c592c271508dd10e2795cafde5.f286
    Call-ID: 9446d49b88d522a5@192.168.1.10
    CSeq: 28915 INVITE
    Server: OpenSER (1.2.0-notls (i386/linux))
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   2536 40.475159   192.168.1.10          192.168.1.15          SIP      Request: ACK sip:
+41215509999@192.168.1.15

Frame 2536 (532 bytes on wire, 532 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: ACK sip:+41215509999@192.168.1.15 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKef1e08575494110a
    From: <sip:+41215501111@192.168.1.15>;tag=8cb5d4da05568523
    To: <sip:+41215509999@192.168.1.15>;tag=d76032c592c271508dd10e2795cafde5.f286
    Contact: <sip:+41215501111@192.168.1.10>
    Call-ID: 9446d49b88d522a5@192.168.1.10
    CSeq: 28915 ACK
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   2537 40.476595   192.168.1.15          128.179.67.76         SIP      Request: ACK sip:
+41215509999@128.179.67.76

Frame 2537 (595 bytes on wire, 595 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: ACK sip:+41215509999@128.179.67.76 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKef1e08575494110a
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKef1e08575494110a
    From: <sip:+41215501111@192.168.1.15>;tag=8cb5d4da05568523
    To: <sip:+41215509999@192.168.1.15>;tag=d76032c592c271508dd10e2795cafde5.f286
    Contact: <sip:+41215501111@192.168.1.10>
    Call-ID: 9446d49b88d522a5@192.168.1.10
    CSeq: 28915 ACK
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   4647 86.703912   192.168.1.10          192.168.1.15          SIP      Request: REGISTER
 sip:192.168.1.15

Frame 4647 (520 bytes on wire, 520 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: REGISTER sip:192.168.1.15 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK049972c4ce901a45
    From: <sip:+41215501111@192.168.1.15>;tag=a5870404e4bd88ff
    To: <sip:+41215501111@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Supported: replaces
    Call-ID: 32ebfcacf6101c3e@192.168.1.10
    CSeq: 162 REGISTER
    Expires: 150
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   4648 86.710964   192.168.1.15          192.168.1.10          SIP      Status: 200 OK
 (1 bindings)

Frame 4648 (360 bytes on wire, 360 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK049972c4ce901a45
    From: <sip:+41215501111@192.168.1.15>;tag=a5870404e4bd88ff
    To: <sip:+41215501111@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Call-ID: 32ebfcacf6101c3e@192.168.1.10
    CSeq: 162 REGISTER
    Server: PrimiSIP
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   6670 130.843055  192.168.1.10          192.168.1.15          SIP/SDP  Request: INVITE s
ip:+41215509999@192.168.1.15, with session description

Frame 6670 (784 bytes on wire, 784 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41215509999@192.168.1.15 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKb72f8f3e81ecb2b4
    From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2
    To: <sip:+41215509999@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Supported: replaces
    Call-ID: f46e93afacfddf5f@192.168.1.10
    CSeq: 32780 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/sdp
    Content-Length: 234
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
   6671 130.844840  192.168.1.15          192.168.1.10          SIP      Status: 100 Givin
g a try

Frame 6671 (328 bytes on wire, 328 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 Giving a try
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKb72f8f3e81ecb2b4
    From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2
    To: <sip:+41215509999@192.168.1.15>
    Call-ID: f46e93afacfddf5f@192.168.1.10
    CSeq: 32780 INVITE
    Server: PrimiSIP
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   6672 130.845580  192.168.1.15          128.179.67.76         SIP/SDP  Request: INVITE s
ip:+41215509999@128.179.67.76, with session description

Frame 6672 (909 bytes on wire, 909 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41215509999@128.179.67.76 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKb72f8f3e81ecb2b4
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKb72f8f3e81ecb2b4
    Record-Route: <sip:192.168.1.15;lr=on;ftag=07e219d1f2a2e2f2>
    From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2
    To: <sip:+41215509999@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Supported: replaces
    Call-ID: f46e93afacfddf5f@192.168.1.10
    CSeq: 32780 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/sdp
    Content-Length: 234
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
   6673 130.846258  128.179.67.76         192.168.1.15          SIP      Status: 100 Givin
g a try

Frame 6673 (416 bytes on wire, 416 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 Giving a try
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKb72f8f3e81ecb2b4
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKb72f8f3e81ecb2b4
    From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2
    To: <sip:+41215509999@192.168.1.15>
    Call-ID: f46e93afacfddf5f@192.168.1.10
    CSeq: 32780 INVITE
    Server: OpenSER (1.2.0-notls (i386/linux))
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   6674 130.847558  192.168.1.15          192.168.1.10          SIP      Status: 100 Givin
g a try

Frame 6674 (354 bytes on wire, 354 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 Giving a try
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKb72f8f3e81ecb2b4
    From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2
    To: <sip:+41215509999@192.168.1.15>
    Call-ID: f46e93afacfddf5f@192.168.1.10
    CSeq: 32780 INVITE
    Server: OpenSER (1.2.0-notls (i386/linux))
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   6675 130.847959  128.179.67.76         192.168.1.16          SIP/SDP  Request: INVITE s
ip:+41215509999@192.168.1.16, with session description

Frame 6675 (1033 bytes on wire, 1033 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41215509999@192.168.1.16 SIP/2.0
  Message Header
    Record-Route: <sip:128.179.67.76;lr=on;ftag=07e219d1f2a2e2f2>
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKba7a.b67ffa94.0
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKb72f8f3e81ecb2b4
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKb72f8f3e81ecb2b4
    Record-Route: <sip:192.168.1.15;lr=on;ftag=07e219d1f2a2e2f2>
    From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2
    To: <sip:+41215509999@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Supported: replaces
    Call-ID: f46e93afacfddf5f@192.168.1.10
    CSeq: 32780 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 69
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/sdp
    Content-Length: 234
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
   6680 130.849038  192.168.1.16          128.179.67.76         SIP      Status: 100 Givin
g a try

Frame 6680 (478 bytes on wire, 478 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 Giving a try
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKba7a.b67ffa94.0
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKb72f8f3e81ecb2b4
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKb72f8f3e81ecb2b4
    From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2
    To: <sip:+41215509999@192.168.1.15>
    Call-ID: f46e93afacfddf5f@192.168.1.10
    CSeq: 32780 INVITE
    Server: OpenSER (1.2.0-notls (i386/linux))
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   6685 130.861260  192.168.1.16          128.179.67.76         SIP      Status: 180 Ringi
ng

Frame 6685 (677 bytes on wire, 677 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 180 Ringing
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKba7a.b67ffa94.0
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKb72f8f3e81ecb2b4
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKb72f8f3e81ecb2b4
    Record-Route: <sip:192.168.1.16;lr=on;ftag=07e219d1f2a2e2f2>
    Record-Route: <sip:128.179.67.76;lr=on;ftag=07e219d1f2a2e2f2>
    Record-Route: <sip:192.168.1.15;lr=on;ftag=07e219d1f2a2e2f2>
    From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2
    To: <sip:+41215509999@192.168.1.15>;tag=5890e37b7a1b8152
    Call-ID: f46e93afacfddf5f@192.168.1.10
    CSeq: 32780 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   6686 130.861770  128.179.67.76         192.168.1.15          SIP      Status: 180 Ringi
ng

Frame 6686 (615 bytes on wire, 615 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 180 Ringing
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKb72f8f3e81ecb2b4
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKb72f8f3e81ecb2b4
    Record-Route: <sip:192.168.1.16;lr=on;ftag=07e219d1f2a2e2f2>
    Record-Route: <sip:128.179.67.76;lr=on;ftag=07e219d1f2a2e2f2>
    Record-Route: <sip:192.168.1.15;lr=on;ftag=07e219d1f2a2e2f2>
    From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2
    To: <sip:+41215509999@192.168.1.15>;tag=5890e37b7a1b8152
    Call-ID: f46e93afacfddf5f@192.168.1.10
    CSeq: 32780 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   6687 130.863376  192.168.1.15          192.168.1.10          SIP      Status: 180 Ringi
ng

Frame 6687 (553 bytes on wire, 553 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 180 Ringing
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKb72f8f3e81ecb2b4
    Record-Route: <sip:192.168.1.16;lr=on;ftag=07e219d1f2a2e2f2>
    Record-Route: <sip:128.179.67.76;lr=on;ftag=07e219d1f2a2e2f2>
    Record-Route: <sip:192.168.1.15;lr=on;ftag=07e219d1f2a2e2f2>
    From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2
    To: <sip:+41215509999@192.168.1.15>;tag=5890e37b7a1b8152
    Call-ID: f46e93afacfddf5f@192.168.1.10
    CSeq: 32780 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   6902 134.632030  192.168.1.16          128.179.67.76         SIP/SDP  Status: 200 OK, w
ith session description

Frame 6902 (997 bytes on wire, 997 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKba7a.b67ffa94.0
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKb72f8f3e81ecb2b4
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKb72f8f3e81ecb2b4
    Record-Route: <sip:192.168.1.16;lr=on;ftag=07e219d1f2a2e2f2>
    Record-Route: <sip:128.179.67.76;lr=on;ftag=07e219d1f2a2e2f2>
    Record-Route: <sip:192.168.1.15;lr=on;ftag=07e219d1f2a2e2f2>
    From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2
    To: <sip:+41215509999@192.168.1.15>;tag=5890e37b7a1b8152
    Call-ID: f46e93afacfddf5f@192.168.1.10
    CSeq: 32780 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215509999@192.168.1.11>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/sdp
    Supported: replaces
    Content-Length: 163
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
   6903 134.632541  128.179.67.76         192.168.1.15          SIP/SDP  Status: 200 OK, w
ith session description

Frame 6903 (935 bytes on wire, 935 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKb72f8f3e81ecb2b4
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKb72f8f3e81ecb2b4
    Record-Route: <sip:192.168.1.16;lr=on;ftag=07e219d1f2a2e2f2>
    Record-Route: <sip:128.179.67.76;lr=on;ftag=07e219d1f2a2e2f2>
    Record-Route: <sip:192.168.1.15;lr=on;ftag=07e219d1f2a2e2f2>
    From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2
    To: <sip:+41215509999@192.168.1.15>;tag=5890e37b7a1b8152
    Call-ID: f46e93afacfddf5f@192.168.1.10
    CSeq: 32780 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215509999@192.168.1.11>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/sdp
    Supported: replaces
    Content-Length: 163
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
   6904 134.634704  192.168.1.15          192.168.1.10          SIP/SDP  Status: 200 OK, w
ith session description

Frame 6904 (873 bytes on wire, 873 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKb72f8f3e81ecb2b4
    Record-Route: <sip:192.168.1.16;lr=on;ftag=07e219d1f2a2e2f2>
    Record-Route: <sip:128.179.67.76;lr=on;ftag=07e219d1f2a2e2f2>
    Record-Route: <sip:192.168.1.15;lr=on;ftag=07e219d1f2a2e2f2>
    From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2
    To: <sip:+41215509999@192.168.1.15>;tag=5890e37b7a1b8152
    Call-ID: f46e93afacfddf5f@192.168.1.10
    CSeq: 32780 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215509999@192.168.1.11>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/sdp
    Supported: replaces
    Content-Length: 163
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
   6905 134.643187  192.168.1.10          192.168.1.15          SIP      Request: ACK sip:
+41215509999@192.168.1.11

Frame 6905 (677 bytes on wire, 677 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: ACK sip:+41215509999@192.168.1.11 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKa0b75471aa6468ad
    Route: <sip:192.168.1.15;lr=on;ftag=07e219d1f2a2e2f2>
    Route: <sip:128.179.67.76;lr=on;ftag=07e219d1f2a2e2f2>
    Route: <sip:192.168.1.16;lr=on;ftag=07e219d1f2a2e2f2>
    From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2
    To: <sip:+41215509999@192.168.1.15>;tag=5890e37b7a1b8152
    Contact: <sip:+41215501111@192.168.1.10>
    Call-ID: f46e93afacfddf5f@192.168.1.10
    CSeq: 32780 ACK
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   6906 134.737033  192.168.1.15          128.179.67.76         SIP      Request: ACK sip:
+41215509999@192.168.1.11

Frame 6906 (684 bytes on wire, 684 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: ACK sip:+41215509999@192.168.1.11 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKa0b75471aa6468ad
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKa0b75471aa6468ad
    Route: <sip:128.179.67.76;lr=on;ftag=07e219d1f2a2e2f2>
    Route: <sip:192.168.1.16;lr=on;ftag=07e219d1f2a2e2f2>
    From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2
    To: <sip:+41215509999@192.168.1.15>;tag=5890e37b7a1b8152
    Contact: <sip:+41215501111@192.168.1.10>
    Call-ID: f46e93afacfddf5f@192.168.1.10
    CSeq: 32780 ACK
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   6907 134.737509  128.179.67.76         192.168.1.16          SIP      Request: ACK sip:
+41215509999@192.168.1.11

Frame 6907 (690 bytes on wire, 690 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: ACK sip:+41215509999@192.168.1.11 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKba7a.b67ffa94.2
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKa0b75471aa6468ad
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKa0b75471aa6468ad
    Route: <sip:192.168.1.16;lr=on;ftag=07e219d1f2a2e2f2>
    From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2
    To: <sip:+41215509999@192.168.1.15>;tag=5890e37b7a1b8152
    Contact: <sip:+41215501111@192.168.1.10>
    Call-ID: f46e93afacfddf5f@192.168.1.10
    CSeq: 32780 ACK
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 69
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   7246 140.609056  192.168.1.16          128.179.67.76         SIP      Request: BYE sip:
+41215501111@192.168.1.10

Frame 7246 (662 bytes on wire, 662 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: BYE sip:+41215501111@192.168.1.10 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5597.69c31f04.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKcb6262fe58afd13a
    Route: <sip:128.179.67.76;lr=on;ftag=07e219d1f2a2e2f2>
    Route: <sip:192.168.1.15;lr=on;ftag=07e219d1f2a2e2f2>
    From: <sip:+41215509999@192.168.1.15>;tag=5890e37b7a1b8152
    To: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2
    Supported: replaces
    Call-ID: f46e93afacfddf5f@192.168.1.10
    CSeq: 16943 BYE
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 69
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   7249 140.609381  128.179.67.76         192.168.1.15          SIP      Request: BYE sip:
+41215501111@192.168.1.10

Frame 7249 (668 bytes on wire, 668 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: BYE sip:+41215501111@192.168.1.10 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5597.a9907925.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5597.69c31f04.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKcb6262fe58afd13a
    Route: <sip:192.168.1.15;lr=on;ftag=07e219d1f2a2e2f2>
    From: <sip:+41215509999@192.168.1.15>;tag=5890e37b7a1b8152
    To: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2
    Supported: replaces
    Call-ID: f46e93afacfddf5f@192.168.1.10
    CSeq: 16943 BYE
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 68
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   7250 140.611719  192.168.1.15          192.168.1.10          SIP      Request: BYE sip:
+41215501111@192.168.1.10

Frame 7250 (674 bytes on wire, 674 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: BYE sip:+41215501111@192.168.1.10 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK5597.a9907925.0
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5597.a9907925.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5597.69c31f04.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKcb6262fe58afd13a
    From: <sip:+41215509999@192.168.1.15>;tag=5890e37b7a1b8152
    To: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2
    Supported: replaces
    Call-ID: f46e93afacfddf5f@192.168.1.10
    CSeq: 16943 BYE
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 68
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   7251 140.617314  192.168.1.10          192.168.1.15          SIP      Status: 200 OK

Frame 7251 (671 bytes on wire, 671 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK5597.a9907925.0
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5597.a9907925.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5597.69c31f04.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKcb6262fe58afd13a
    From: <sip:+41215509999@192.168.1.15>;tag=5890e37b7a1b8152
    To: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2
    Call-ID: f46e93afacfddf5f@192.168.1.10
    CSeq: 16943 BYE
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215501111@192.168.1.10>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Supported: replaces
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   7252 140.620967  192.168.1.15          128.179.67.76         SIP      Status: 200 OK

Frame 7252 (610 bytes on wire, 610 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5597.a9907925.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5597.69c31f04.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKcb6262fe58afd13a
    From: <sip:+41215509999@192.168.1.15>;tag=5890e37b7a1b8152
    To: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2
    Call-ID: f46e93afacfddf5f@192.168.1.10
    CSeq: 16943 BYE
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215501111@192.168.1.10>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Supported: replaces
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   7253 140.621192  128.179.67.76         192.168.1.16          SIP      Status: 200 OK

Frame 7253 (548 bytes on wire, 548 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5597.69c31f04.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKcb6262fe58afd13a
    From: <sip:+41215509999@192.168.1.15>;tag=5890e37b7a1b8152
    To: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2
    Call-ID: f46e93afacfddf5f@192.168.1.10
    CSeq: 16943 BYE
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215501111@192.168.1.10>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Supported: replaces
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
  11015 216.765712  192.168.1.10          192.168.1.15          SIP      Request: REGISTER
 sip:192.168.1.15

Frame 11015 (520 bytes on wire, 520 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: REGISTER sip:192.168.1.15 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK5cf52756540667b2
    From: <sip:+41215501111@192.168.1.15>;tag=a5870404e4bd88ff
    To: <sip:+41215501111@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Supported: replaces
    Call-ID: 32ebfcacf6101c3e@192.168.1.10
    CSeq: 163 REGISTER
    Expires: 150
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
  11016 216.767226  192.168.1.15          192.168.1.10          SIP      Status: 200 OK
 (1 bindings)

Frame 11016 (360 bytes on wire, 360 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK5cf52756540667b2
    From: <sip:+41215501111@192.168.1.15>;tag=a5870404e4bd88ff
    To: <sip:+41215501111@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Call-ID: 32ebfcacf6101c3e@192.168.1.10
    CSeq: 163 REGISTER
    Server: PrimiSIP
    Content-Length: 0
```