```
No.     Time        Source                Destination           Protocol Info
    388 7.807113    192.168.1.16          128.179.67.76         SIP/SDP  Request: INVITE s
ip:+41215501111@128.179.67.76, with session description

Frame 388 (907 bytes on wire, 907 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41215501111@128.179.67.76 SIP/2.0
  Message Header
    Record-Route: <sip:192.168.1.16;lr=on;ftag=3ffbdef5065610a6>
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2273.bf3ecbb.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK359123681ed6082c
    From: <sip:+41215509999@192.168.1.16>;tag=3ffbdef5065610a6
    To: <sip:+41215501111@192.168.1.16>
    Contact: <sip:+41215509999@192.168.1.11>
    Supported: replaces
    Call-ID: 9d14c93445ffb7f7@192.168.1.11
    CSeq: 52280 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 69
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/sdp
    Content-Length: 234
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
    389 7.807623    128.179.67.76         192.168.1.16          SIP      Status: 100 Givin
g a try

Frame 389 (414 bytes on wire, 414 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 Giving a try
  Message Header
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2273.bf3ecbb.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK359123681ed6082c
    From: <sip:+41215509999@192.168.1.16>;tag=3ffbdef5065610a6
    To: <sip:+41215501111@192.168.1.16>
    Call-ID: 9d14c93445ffb7f7@192.168.1.11
    CSeq: 52280 INVITE
    Server: OpenSER (1.2.0-notls (i386/linux))
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    390 7.807729    128.179.67.76         192.168.1.15          SIP/SDP  Request: INVITE s
ip:+41215501111@192.168.1.15, with session description

Frame 390 (1031 bytes on wire, 1031 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41215501111@192.168.1.15 SIP/2.0
  Message Header
    Record-Route: <sip:128.179.67.76;lr=on;ftag=3ffbdef5065610a6>
    Record-Route: <sip:192.168.1.16;lr=on;ftag=3ffbdef5065610a6>
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK2273.54df7e96.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2273.bf3ecbb.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK359123681ed6082c
    From: <sip:+41215509999@192.168.1.16>;tag=3ffbdef5065610a6
    To: <sip:+41215501111@192.168.1.16>
    Contact: <sip:+41215509999@192.168.1.11>
    Supported: replaces
    Call-ID: 9d14c93445ffb7f7@192.168.1.11
    CSeq: 52280 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 68
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/sdp
    Content-Length: 234
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
    393 7.809594    192.168.1.15          128.179.67.76         SIP      Status: 100 Givin
g a try

Frame 393 (450 bytes on wire, 450 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 Giving a try
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK2273.54df7e96.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2273.bf3ecbb.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK359123681ed6082c
    From: <sip:+41215509999@192.168.1.16>;tag=3ffbdef5065610a6
    To: <sip:+41215501111@192.168.1.16>
    Call-ID: 9d14c93445ffb7f7@192.168.1.11
    CSeq: 52280 INVITE
    Server: PrimiSIP
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    394 7.810743    192.168.1.15          192.168.1.10          SIP/SDP  Request: INVITE s
ip:+41215501111@192.168.1.10, with session description

Frame 394 (1154 bytes on wire, 1154 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41215501111@192.168.1.10 SIP/2.0
  Message Header
    Record-Route: <sip:192.168.1.15;lr=on;ftag=3ffbdef5065610a6>
    Record-Route: <sip:128.179.67.76;lr=on;ftag=3ffbdef5065610a6>
    Record-Route: <sip:192.168.1.16;lr=on;ftag=3ffbdef5065610a6>
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK2273.54df7e96.0
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK2273.54df7e96.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2273.bf3ecbb.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK359123681ed6082c
    From: <sip:+41215509999@192.168.1.16>;tag=3ffbdef5065610a6
    To: <sip:+41215501111@192.168.1.16>
    Contact: <sip:+41215509999@192.168.1.11>
    Supported: replaces
    Call-ID: 9d14c93445ffb7f7@192.168.1.11
    CSeq: 52280 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 68
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/sdp
    Content-Length: 234
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
    395 7.818128    192.168.1.10          192.168.1.15          SIP      Status: 100 Tryin
g

Frame 395 (527 bytes on wire, 527 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 Trying
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK2273.54df7e96.0
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK2273.54df7e96.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2273.bf3ecbb.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK359123681ed6082c
    From: <sip:+41215509999@192.168.1.16>;tag=3ffbdef5065610a6
    To: <sip:+41215501111@192.168.1.16>
    Call-ID: 9d14c93445ffb7f7@192.168.1.11
    CSeq: 52280 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    396 7.821235    192.168.1.15          128.179.67.76         SIP      Status: 100 Tryin
g

Frame 396 (466 bytes on wire, 466 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 Trying
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK2273.54df7e96.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2273.bf3ecbb.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK359123681ed6082c
    From: <sip:+41215509999@192.168.1.16>;tag=3ffbdef5065610a6
    To: <sip:+41215501111@192.168.1.16>
    Call-ID: 9d14c93445ffb7f7@192.168.1.11
    CSeq: 52280 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    397 7.822067    192.168.1.10          192.168.1.15          SIP      Status: 180 Ringi
ng

Frame 397 (736 bytes on wire, 736 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 180 Ringing
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK2273.54df7e96.0
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK2273.54df7e96.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2273.bf3ecbb.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK359123681ed6082c
    Record-Route: <sip:192.168.1.15;lr=on;ftag=3ffbdef5065610a6>
    Record-Route: <sip:128.179.67.76;lr=on;ftag=3ffbdef5065610a6>
    Record-Route: <sip:192.168.1.16;lr=on;ftag=3ffbdef5065610a6>
    From: <sip:+41215509999@192.168.1.16>;tag=3ffbdef5065610a6
    To: <sip:+41215501111@192.168.1.16>;tag=6c6cb59d7fd09fbe
    Call-ID: 9d14c93445ffb7f7@192.168.1.11
    CSeq: 52280 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    398 7.823548    192.168.1.15          128.179.67.76         SIP      Status: 180 Ringi
ng

Frame 398 (675 bytes on wire, 675 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 180 Ringing
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK2273.54df7e96.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2273.bf3ecbb.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK359123681ed6082c
    Record-Route: <sip:192.168.1.15;lr=on;ftag=3ffbdef5065610a6>
    Record-Route: <sip:128.179.67.76;lr=on;ftag=3ffbdef5065610a6>
    Record-Route: <sip:192.168.1.16;lr=on;ftag=3ffbdef5065610a6>
    From: <sip:+41215509999@192.168.1.16>;tag=3ffbdef5065610a6
    To: <sip:+41215501111@192.168.1.16>;tag=6c6cb59d7fd09fbe
    Call-ID: 9d14c93445ffb7f7@192.168.1.11
    CSeq: 52280 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    399 7.824201    128.179.67.76         192.168.1.16          SIP      Status: 180 Ringi
ng

Frame 399 (613 bytes on wire, 613 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 180 Ringing
  Message Header
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2273.bf3ecbb.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK359123681ed6082c
    Record-Route: <sip:192.168.1.15;lr=on;ftag=3ffbdef5065610a6>
    Record-Route: <sip:128.179.67.76;lr=on;ftag=3ffbdef5065610a6>
    Record-Route: <sip:192.168.1.16;lr=on;ftag=3ffbdef5065610a6>
    From: <sip:+41215509999@192.168.1.16>;tag=3ffbdef5065610a6
    To: <sip:+41215501111@192.168.1.16>;tag=6c6cb59d7fd09fbe
    Call-ID: 9d14c93445ffb7f7@192.168.1.11
    CSeq: 52280 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    538 10.804246   192.168.1.16          128.179.67.76         SIP      Request: CANCEL s
ip:+41215501111@128.179.67.76

Frame 538 (536 bytes on wire, 536 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: CANCEL sip:+41215501111@128.179.67.76 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2273.bf3ecbb.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK359123681ed6082c
    From: <sip:+41215509999@192.168.1.16>;tag=3ffbdef5065610a6
    To: <sip:+41215501111@192.168.1.16>
    Supported: replaces
    Call-ID: 9d14c93445ffb7f7@192.168.1.11
    CSeq: 52280 CANCEL
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 69
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    539 10.804584   128.179.67.76         192.168.1.15          SIP      Request: CANCEL s
ip:+41215501111@192.168.1.15

Frame 539 (597 bytes on wire, 597 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: CANCEL sip:+41215501111@192.168.1.15 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK2273.54df7e96.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2273.bf3ecbb.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK359123681ed6082c
    From: <sip:+41215509999@192.168.1.16>;tag=3ffbdef5065610a6
    To: <sip:+41215501111@192.168.1.16>
    Supported: replaces
    Call-ID: 9d14c93445ffb7f7@192.168.1.11
    CSeq: 52280 CANCEL
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 68
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    540 10.804623   128.179.67.76         192.168.1.16          SIP      Status: 200 cance
ling

Frame 540 (453 bytes on wire, 453 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 canceling
  Message Header
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2273.bf3ecbb.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK359123681ed6082c
    From: <sip:+41215509999@192.168.1.16>;tag=3ffbdef5065610a6
    To: <sip:+41215501111@192.168.1.16>;tag=25495af70a786cfd53032fcf2b21ae08-dccb
    Call-ID: 9d14c93445ffb7f7@192.168.1.11
    CSeq: 52280 CANCEL
    Server: OpenSER (1.2.0-notls (i386/linux))
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    543 10.806325   192.168.1.15          128.179.67.76         SIP      Status: 200 Cance
lling

Frame 543 (448 bytes on wire, 448 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 Cancelling
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK2273.54df7e96.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2273.bf3ecbb.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK359123681ed6082c
    From: <sip:+41215509999@192.168.1.16>;tag=3ffbdef5065610a6
    To: <sip:+41215501111@192.168.1.16>
    Call-ID: 9d14c93445ffb7f7@192.168.1.11
    CSeq: 52280 CANCEL
    Server: PrimiSIP
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    544 10.807052   192.168.1.15          192.168.1.10          SIP      Request: CANCEL s
ip:+41215501111@192.168.1.10

Frame 544 (658 bytes on wire, 658 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: CANCEL sip:+41215501111@192.168.1.10 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK2273.54df7e96.0
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK2273.54df7e96.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2273.bf3ecbb.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK359123681ed6082c
    From: <sip:+41215509999@192.168.1.16>;tag=3ffbdef5065610a6
    To: <sip:+41215501111@192.168.1.16>
    Supported: replaces
    Call-ID: 9d14c93445ffb7f7@192.168.1.11
    CSeq: 52280 CANCEL
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 68
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    545 10.812666   192.168.1.10          192.168.1.15          SIP      Status: 200 OK

Frame 545 (673 bytes on wire, 673 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK2273.54df7e96.0
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK2273.54df7e96.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2273.bf3ecbb.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK359123681ed6082c
    From: <sip:+41215509999@192.168.1.16>;tag=3ffbdef5065610a6
    To: <sip:+41215501111@192.168.1.16>;tag=6c6cb59d7fd09fbe
    Call-ID: 9d14c93445ffb7f7@192.168.1.11
    CSeq: 52280 CANCEL
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215501111@192.168.1.10>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Supported: replaces
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    546 10.815666   192.168.1.15          128.179.67.76         SIP      Status: 200 OK

Frame 546 (612 bytes on wire, 612 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK2273.54df7e96.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2273.bf3ecbb.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK359123681ed6082c
    From: <sip:+41215509999@192.168.1.16>;tag=3ffbdef5065610a6
    To: <sip:+41215501111@192.168.1.16>;tag=6c6cb59d7fd09fbe
    Call-ID: 9d14c93445ffb7f7@192.168.1.11
    CSeq: 52280 CANCEL
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215501111@192.168.1.10>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Supported: replaces
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    547 10.815706   192.168.1.10          192.168.1.15          SIP      Status: 487 Reque
st Cancelled

Frame 547 (746 bytes on wire, 746 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 487 Request Cancelled
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK2273.54df7e96.0
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK2273.54df7e96.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2273.bf3ecbb.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK359123681ed6082c
    Record-Route: <sip:192.168.1.15;lr=on;ftag=3ffbdef5065610a6>
    Record-Route: <sip:128.179.67.76;lr=on;ftag=3ffbdef5065610a6>
    Record-Route: <sip:192.168.1.16;lr=on;ftag=3ffbdef5065610a6>
    From: <sip:+41215509999@192.168.1.16>;tag=3ffbdef5065610a6
    To: <sip:+41215501111@192.168.1.16>;tag=6c6cb59d7fd09fbe
    Call-ID: 9d14c93445ffb7f7@192.168.1.11
    CSeq: 52280 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    548 10.817080   192.168.1.15          128.179.67.76         SIP      Status: 487 Reque
st Cancelled

Frame 548 (685 bytes on wire, 685 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 487 Request Cancelled
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK2273.54df7e96.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2273.bf3ecbb.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK359123681ed6082c
    Record-Route: <sip:192.168.1.15;lr=on;ftag=3ffbdef5065610a6>
    Record-Route: <sip:128.179.67.76;lr=on;ftag=3ffbdef5065610a6>
    Record-Route: <sip:192.168.1.16;lr=on;ftag=3ffbdef5065610a6>
    From: <sip:+41215509999@192.168.1.16>;tag=3ffbdef5065610a6
    To: <sip:+41215501111@192.168.1.16>;tag=6c6cb59d7fd09fbe
    Call-ID: 9d14c93445ffb7f7@192.168.1.11
    CSeq: 52280 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    549 10.817381   128.179.67.76         192.168.1.15          SIP      Request: ACK sip:
+41215501111@192.168.1.15

Frame 549 (393 bytes on wire, 393 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: ACK sip:+41215501111@192.168.1.15 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK2273.54df7e96.0
    From: <sip:+41215509999@192.168.1.16>;tag=3ffbdef5065610a6
    Call-ID: 9d14c93445ffb7f7@192.168.1.11
    To: <sip:+41215501111@192.168.1.16>;tag=6c6cb59d7fd09fbe
    CSeq: 52280 ACK
    User-Agent: OpenSER (1.2.0-notls (i386/linux))
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    550 10.817435   128.179.67.76         192.168.1.16          SIP      Status: 487 Reque
st Cancelled

Frame 550 (623 bytes on wire, 623 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 487 Request Cancelled
  Message Header
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2273.bf3ecbb.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK359123681ed6082c
    Record-Route: <sip:192.168.1.15;lr=on;ftag=3ffbdef5065610a6>
    Record-Route: <sip:128.179.67.76;lr=on;ftag=3ffbdef5065610a6>
    Record-Route: <sip:192.168.1.16;lr=on;ftag=3ffbdef5065610a6>
    From: <sip:+41215509999@192.168.1.16>;tag=3ffbdef5065610a6
    To: <sip:+41215501111@192.168.1.16>;tag=6c6cb59d7fd09fbe
    Call-ID: 9d14c93445ffb7f7@192.168.1.11
    CSeq: 52280 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    551 10.818005   192.168.1.16          128.179.67.76         SIP      Request: ACK sip:
+41215501111@128.179.67.76

Frame 551 (392 bytes on wire, 392 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: ACK sip:+41215501111@128.179.67.76 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2273.bf3ecbb.0
    From: <sip:+41215509999@192.168.1.16>;tag=3ffbdef5065610a6
    Call-ID: 9d14c93445ffb7f7@192.168.1.11
    To: <sip:+41215501111@192.168.1.16>;tag=6c6cb59d7fd09fbe
    CSeq: 52280 ACK
    User-Agent: OpenSER (1.2.0-notls (i386/linux))
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
    554 10.820172   192.168.1.15          192.168.1.10          SIP      Request: ACK sip:
+41215501111@192.168.1.10

Frame 554 (454 bytes on wire, 454 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: ACK sip:+41215501111@192.168.1.10 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK2273.54df7e96.0
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK2273.54df7e96.0
    From: <sip:+41215509999@192.168.1.16>;tag=3ffbdef5065610a6
    Call-ID: 9d14c93445ffb7f7@192.168.1.11
    To: <sip:+41215501111@192.168.1.16>;tag=6c6cb59d7fd09fbe
    CSeq: 52280 ACK
    User-Agent: OpenSER (1.2.0-notls (i386/linux))
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   4865 100.436257  192.168.1.10          192.168.1.15          SIP      Request: REGISTER
 sip:192.168.1.15

Frame 4865 (520 bytes on wire, 520 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: REGISTER sip:192.168.1.15 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKb899c4c46f905a45
    From: <sip:+41215501111@192.168.1.15>;tag=a5870404e4bd88ff
    To: <sip:+41215501111@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Supported: replaces
    Call-ID: 25e54494742378e1@192.168.1.10
    CSeq: 156 REGISTER
    Expires: 150
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   4884 100.505382  192.168.1.15          192.168.1.10          SIP      Status: 200 OK
 (1 bindings)

Frame 4884 (360 bytes on wire, 360 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKb899c4c46f905a45
    From: <sip:+41215501111@192.168.1.15>;tag=a5870404e4bd88ff
    To: <sip:+41215501111@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Call-ID: 25e54494742378e1@192.168.1.10
    CSeq: 156 REGISTER
    Server: PrimiSIP
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
  10814 230.498049  192.168.1.10          192.168.1.15          SIP      Request: REGISTER
 sip:192.168.1.15

Frame 10814 (520 bytes on wire, 520 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: REGISTER sip:192.168.1.15 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKc50618b22feef40b
    From: <sip:+41215501111@192.168.1.15>;tag=a5870404e4bd88ff
    To: <sip:+41215501111@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Supported: replaces
    Call-ID: 25e54494742378e1@192.168.1.10
    CSeq: 157 REGISTER
    Expires: 150
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
  10815 230.499690  192.168.1.15          192.168.1.10          SIP      Status: 200 OK
 (1 bindings)

Frame 10815 (360 bytes on wire, 360 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKc50618b22feef40b
    From: <sip:+41215501111@192.168.1.15>;tag=a5870404e4bd88ff
    To: <sip:+41215501111@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Call-ID: 25e54494742378e1@192.168.1.10
    CSeq: 157 REGISTER
    Server: PrimiSIP
    Content-Length: 0
```