```
No.     Time        Source                Destination           Protocol Info
   1124 22.412514   192.168.1.10          192.168.1.15          SIP/SDP  Request: INVITE s
ip:+41215509999@192.168.1.15, with session description

Frame 1124 (784 bytes on wire, 784 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41215509999@192.168.1.15 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8
    From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a
    To: <sip:+41215509999@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Supported: replaces
    Call-ID: f9fb147e4e75dbf7@192.168.1.10
    CSeq: 49331 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/sdp
    Content-Length: 234
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
   1125 22.415399   192.168.1.15          128.179.67.76         SIP/SDP  Request: INVITE s
ip:+41215509999@128.179.67.76, with session description

Frame 1125 (909 bytes on wire, 909 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41215509999@128.179.67.76 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK4cdaf7d8ad9a48b8
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8
    Record-Route: <sip:192.168.1.15;lr=on;ftag=c3ff5a3089dfbe7a>
    From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a
    To: <sip:+41215509999@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Supported: replaces
    Call-ID: f9fb147e4e75dbf7@192.168.1.10
    CSeq: 49331 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/sdp
    Content-Length: 234
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
   1126 22.416682   128.179.67.76         192.168.1.15          SIP      Status: 100 Givin
g a try

Frame 1126 (416 bytes on wire, 416 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 Giving a try
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK4cdaf7d8ad9a48b8
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8
    From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a
    To: <sip:+41215509999@192.168.1.15>
    Call-ID: f9fb147e4e75dbf7@192.168.1.10
    CSeq: 49331 INVITE
    Server: OpenSER (1.2.0-notls (i386/linux))
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1127 22.416825   128.179.67.76         192.168.1.16          SIP/SDP  Request: INVITE s
ip:+41215509999@192.168.1.16, with session description

Frame 1127 (1033 bytes on wire, 1033 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41215509999@192.168.1.16 SIP/2.0
  Message Header
    Record-Route: <sip:128.179.67.76;lr=on;ftag=c3ff5a3089dfbe7a>
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK9c9a.9cc9e246.0
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK4cdaf7d8ad9a48b8
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8
    Record-Route: <sip:192.168.1.15;lr=on;ftag=c3ff5a3089dfbe7a>
    From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a
    To: <sip:+41215509999@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Supported: replaces
    Call-ID: f9fb147e4e75dbf7@192.168.1.10
    CSeq: 49331 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 69
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/sdp
    Content-Length: 234
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
   1130 22.417731   192.168.1.15          192.168.1.10          SIP      Status: 100 Givin
g a try

Frame 1130 (328 bytes on wire, 328 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 Giving a try
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8
    From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a
    To: <sip:+41215509999@192.168.1.15>
    Call-ID: f9fb147e4e75dbf7@192.168.1.10
    CSeq: 49331 INVITE
    Server: PrimiSIP
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1131 22.418513   192.168.1.16          128.179.67.76         SIP      Status: 100 Givin
g a try

Frame 1131 (478 bytes on wire, 478 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 Giving a try
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK9c9a.9cc9e246.0
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK4cdaf7d8ad9a48b8
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8
    From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a
    To: <sip:+41215509999@192.168.1.15>
    Call-ID: f9fb147e4e75dbf7@192.168.1.10
    CSeq: 49331 INVITE
    Server: OpenSER (1.2.0-notls (i386/linux))
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1132 22.418594   192.168.1.15          192.168.1.10          SIP      Status: 100 Givin
g a try

Frame 1132 (354 bytes on wire, 354 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 Giving a try
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8
    From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a
    To: <sip:+41215509999@192.168.1.15>
    Call-ID: f9fb147e4e75dbf7@192.168.1.10
    CSeq: 49331 INVITE
    Server: OpenSER (1.2.0-notls (i386/linux))
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1139 22.430830   192.168.1.16          128.179.67.76         SIP      Status: 180 Ringi
ng

Frame 1139 (677 bytes on wire, 677 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 180 Ringing
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK9c9a.9cc9e246.0
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK4cdaf7d8ad9a48b8
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8
    Record-Route: <sip:192.168.1.16;lr=on;ftag=c3ff5a3089dfbe7a>
    Record-Route: <sip:128.179.67.76;lr=on;ftag=c3ff5a3089dfbe7a>
    Record-Route: <sip:192.168.1.15;lr=on;ftag=c3ff5a3089dfbe7a>
    From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a
    To: <sip:+41215509999@192.168.1.15>;tag=b7dc300783ac2276
    Call-ID: f9fb147e4e75dbf7@192.168.1.10
    CSeq: 49331 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1140 22.431134   128.179.67.76         192.168.1.15          SIP      Status: 180 Ringi
ng

Frame 1140 (615 bytes on wire, 615 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 180 Ringing
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK4cdaf7d8ad9a48b8
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8
    Record-Route: <sip:192.168.1.16;lr=on;ftag=c3ff5a3089dfbe7a>
    Record-Route: <sip:128.179.67.76;lr=on;ftag=c3ff5a3089dfbe7a>
    Record-Route: <sip:192.168.1.15;lr=on;ftag=c3ff5a3089dfbe7a>
    From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a
    To: <sip:+41215509999@192.168.1.15>;tag=b7dc300783ac2276
    Call-ID: f9fb147e4e75dbf7@192.168.1.10
    CSeq: 49331 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1141 22.433859   192.168.1.15          192.168.1.10          SIP      Status: 180 Ringi
ng

Frame 1141 (553 bytes on wire, 553 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 180 Ringing
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8
    Record-Route: <sip:192.168.1.16;lr=on;ftag=c3ff5a3089dfbe7a>
    Record-Route: <sip:128.179.67.76;lr=on;ftag=c3ff5a3089dfbe7a>
    Record-Route: <sip:192.168.1.15;lr=on;ftag=c3ff5a3089dfbe7a>
    From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a
    To: <sip:+41215509999@192.168.1.15>;tag=b7dc300783ac2276
    Call-ID: f9fb147e4e75dbf7@192.168.1.10
    CSeq: 49331 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1296 25.729955   192.168.1.10          192.168.1.15          SIP      Request: CANCEL s
ip:+41215509999@192.168.1.15

Frame 1296 (475 bytes on wire, 475 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: CANCEL sip:+41215509999@192.168.1.15 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8
    From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a
    To: <sip:+41215509999@192.168.1.15>
    Supported: replaces
    Call-ID: f9fb147e4e75dbf7@192.168.1.10
    CSeq: 49331 CANCEL
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1297 25.731488   192.168.1.15          192.168.1.10          SIP      Status: 200 Cance
lling

Frame 1297 (326 bytes on wire, 326 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 Cancelling
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8
    From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a
    To: <sip:+41215509999@192.168.1.15>
    Call-ID: f9fb147e4e75dbf7@192.168.1.10
    CSeq: 49331 CANCEL
    Server: PrimiSIP
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1298 25.732226   192.168.1.15          128.179.67.76         SIP      Request: CANCEL s
ip:+41215509999@128.179.67.76

Frame 1298 (538 bytes on wire, 538 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: CANCEL sip:+41215509999@128.179.67.76 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK4cdaf7d8ad9a48b8
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8
    From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a
    To: <sip:+41215509999@192.168.1.15>
    Supported: replaces
    Call-ID: f9fb147e4e75dbf7@192.168.1.10
    CSeq: 49331 CANCEL
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1299 25.763924   128.179.67.76         192.168.1.16          SIP      Request: CANCEL s
ip:+41215509999@192.168.1.16

Frame 1299 (599 bytes on wire, 599 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: CANCEL sip:+41215509999@192.168.1.16 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK9c9a.9cc9e246.0
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK4cdaf7d8ad9a48b8
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8
    From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a
    To: <sip:+41215509999@192.168.1.15>
    Supported: replaces
    Call-ID: f9fb147e4e75dbf7@192.168.1.10
    CSeq: 49331 CANCEL
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 69
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1300 25.764011   128.179.67.76         192.168.1.15          SIP      Status: 200 cance
ling

Frame 1300 (455 bytes on wire, 455 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 canceling
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK4cdaf7d8ad9a48b8
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8
    From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a
    To: <sip:+41215509999@192.168.1.15>;tag=25495af70a786cfd53032fcf2b21ae08-ae60
    Call-ID: f9fb147e4e75dbf7@192.168.1.10
    CSeq: 49331 CANCEL
    Server: OpenSER (1.2.0-notls (i386/linux))
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1303 25.764834   192.168.1.16          128.179.67.76         SIP      Status: 200 cance
ling

Frame 1303 (517 bytes on wire, 517 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 canceling
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK9c9a.9cc9e246.0
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK4cdaf7d8ad9a48b8
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8
    From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a
    To: <sip:+41215509999@192.168.1.15>;tag=d3ce6dd3f1fd10eac02df31717985056-5ff3
    Call-ID: f9fb147e4e75dbf7@192.168.1.10
    CSeq: 49331 CANCEL
    Server: OpenSER (1.2.0-notls (i386/linux))
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1304 25.765464   192.168.1.15          192.168.1.10          SIP      Status: 200 cance
ling

Frame 1304 (393 bytes on wire, 393 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 canceling
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8
    From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a
    To: <sip:+41215509999@192.168.1.15>;tag=25495af70a786cfd53032fcf2b21ae08-ae60
    Call-ID: f9fb147e4e75dbf7@192.168.1.10
    CSeq: 49331 CANCEL
    Server: OpenSER (1.2.0-notls (i386/linux))
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1309 25.774326   192.168.1.16          128.179.67.76         SIP      Status: 487 Reque
st Cancelled

Frame 1309 (687 bytes on wire, 687 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 487 Request Cancelled
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK9c9a.9cc9e246.0
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK4cdaf7d8ad9a48b8
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8
    Record-Route: <sip:192.168.1.16;lr=on;ftag=c3ff5a3089dfbe7a>
    Record-Route: <sip:128.179.67.76;lr=on;ftag=c3ff5a3089dfbe7a>
    Record-Route: <sip:192.168.1.15;lr=on;ftag=c3ff5a3089dfbe7a>
    From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a
    To: <sip:+41215509999@192.168.1.15>;tag=b7dc300783ac2276
    Call-ID: f9fb147e4e75dbf7@192.168.1.10
    CSeq: 49331 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1310 25.793574   128.179.67.76         192.168.1.16          SIP      Request: ACK sip:
+41215509999@192.168.1.16

Frame 1310 (393 bytes on wire, 393 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: ACK sip:+41215509999@192.168.1.16 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK9c9a.9cc9e246.0
    From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a
    Call-ID: f9fb147e4e75dbf7@192.168.1.10
    To: <sip:+41215509999@192.168.1.15>;tag=b7dc300783ac2276
    CSeq: 49331 ACK
    User-Agent: OpenSER (1.2.0-notls (i386/linux))
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1319 25.831843   128.179.67.76         192.168.1.15          SIP      Status: 487 Reque
st Cancelled

Frame 1319 (625 bytes on wire, 625 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 487 Request Cancelled
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK4cdaf7d8ad9a48b8
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8
    Record-Route: <sip:192.168.1.16;lr=on;ftag=c3ff5a3089dfbe7a>
    Record-Route: <sip:128.179.67.76;lr=on;ftag=c3ff5a3089dfbe7a>
    Record-Route: <sip:192.168.1.15;lr=on;ftag=c3ff5a3089dfbe7a>
    From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a
    To: <sip:+41215509999@192.168.1.15>;tag=b7dc300783ac2276
    Call-ID: f9fb147e4e75dbf7@192.168.1.10
    CSeq: 49331 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1320 25.833318   192.168.1.15          192.168.1.10          SIP      Status: 487 Reque
st Cancelled

Frame 1320 (563 bytes on wire, 563 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 487 Request Cancelled
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8
    Record-Route: <sip:192.168.1.16;lr=on;ftag=c3ff5a3089dfbe7a>
    Record-Route: <sip:128.179.67.76;lr=on;ftag=c3ff5a3089dfbe7a>
    Record-Route: <sip:192.168.1.15;lr=on;ftag=c3ff5a3089dfbe7a>
    From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a
    To: <sip:+41215509999@192.168.1.15>;tag=b7dc300783ac2276
    Call-ID: f9fb147e4e75dbf7@192.168.1.10
    CSeq: 49331 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1323 25.838536   192.168.1.10          192.168.1.15          SIP      Request: ACK sip:
+41215509999@192.168.1.15

Frame 1323 (511 bytes on wire, 511 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: ACK sip:+41215509999@192.168.1.15 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8
    From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a
    To: <sip:+41215509999@192.168.1.15>;tag=b7dc300783ac2276
    Contact: <sip:+41215501111@192.168.1.10>
    Call-ID: f9fb147e4e75dbf7@192.168.1.10
    CSeq: 49331 ACK
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1324 25.839873   192.168.1.15          128.179.67.76         SIP      Request: ACK sip:
+41215509999@128.179.67.76

Frame 1324 (574 bytes on wire, 574 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: ACK sip:+41215509999@128.179.67.76 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK4cdaf7d8ad9a48b8
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8
    From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a
    To: <sip:+41215509999@192.168.1.15>;tag=b7dc300783ac2276
    Contact: <sip:+41215501111@192.168.1.10>
    Call-ID: f9fb147e4e75dbf7@192.168.1.10
    CSeq: 49331 ACK
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   2274 45.949106   192.168.1.10          192.168.1.15          SIP      Request: REGISTER
 sip:192.168.1.15

Frame 2274 (520 bytes on wire, 520 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: REGISTER sip:192.168.1.15 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKf0160f86cbe56d76
    From: <sip:+41215501111@192.168.1.15>;tag=a5870404e4bd88ff
    To: <sip:+41215501111@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Supported: replaces
    Call-ID: 25e54494742378e1@192.168.1.10
    CSeq: 153 REGISTER
    Expires: 150
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   2275 45.950730   192.168.1.15          192.168.1.10          SIP      Status: 200 OK
 (1 bindings)

Frame 2275 (360 bytes on wire, 360 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKf0160f86cbe56d76
    From: <sip:+41215501111@192.168.1.15>;tag=a5870404e4bd88ff
    To: <sip:+41215501111@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Call-ID: 25e54494742378e1@192.168.1.10
    CSeq: 153 REGISTER
    Server: PrimiSIP
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   8262 175.940910  192.168.1.10          192.168.1.15          SIP      Request: REGISTER
 sip:192.168.1.15

Frame 8262 (520 bytes on wire, 520 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: REGISTER sip:192.168.1.15 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKbf5bd1fa2057bdce
    From: <sip:+41215501111@192.168.1.15>;tag=a5870404e4bd88ff
    To: <sip:+41215501111@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Supported: replaces
    Call-ID: 25e54494742378e1@192.168.1.10
    CSeq: 154 REGISTER
    Expires: 150
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   8263 175.942397  192.168.1.15          192.168.1.10          SIP      Status: 200 OK
 (1 bindings)

Frame 8263 (360 bytes on wire, 360 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKbf5bd1fa2057bdce
    From: <sip:+41215501111@192.168.1.15>;tag=a5870404e4bd88ff
    To: <sip:+41215501111@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Call-ID: 25e54494742378e1@192.168.1.10
    CSeq: 154 REGISTER
    Server: PrimiSIP
    Content-Length: 0
```